Copper Cat

Seen from the back



This is what my cat looks like. Yours will be different because each cat is unique!

What's in the kit?

- Bare copper cat frame
- Two wire pieces for spirals
- 1.2 m of non-tarnishing wrapping wire (small coil)
- Bigger coil with three 50 cm lengths of nontarnishing wrapping/beading wire
- Around 30 beads
- Pair of pliers
- Aluminium wire for practising
- Cat template



Have fun making the cat! Here's how

First, the spirals

To practise making spirals and getting used to the pliers, use the aluminium wire.

Aluminium is a lot softer than copper, so it is great to practise with. It wouldn't be good to use in the cat's frame, as it doesn't hold its shape.



Grab the end of the wire with the tips of pliers.






Wrap the wire halfway around one tip of the pliers.

Then let go.



Grab the wire again inside the half-formed circle ...





... and complete the circle.

Let go.

To make the next loop, hold the circle in the bend of the pliers, with the jaws facing away from the wire.





I like keeping the pliers roughly vertical and use my other hand to move the wire into the desired curve.

Do a quarter turn, then reposition.





One spiral made!

Now do the same,
starting with the
other end of the wire

Try to make a spiral that's different from the first one, smaller or bigger, tighter or looser.



Here the spirals face the same way.

You can twist them, so they make an S-shape, rather than a C-shape.



Your choice.

Now, in copper



The copper wire is harder to work with, but you know what to do.

Do exactly the same as before with the aluminium wire, but use the short 1.25 mm copper wires instead. You'll find you need to use a bit more force, both in holding it and shaping the wire.



Two more spirals to go

The frame wire ends also need a spiral. This is 1.6 mm copper wire, so even stiffer to work with. This time you move the end of the wire away from the tip of the pliers' jaws to get a better grip. You will also create a bigger circle this way.

The aim is to create spirals with an overlap to connect them. Use the template to make sure you don't make them too large.

Once you've made the end spirals, place the other copper wire pieces inside the frame in a way you like.

Adjust to make sure they can be attached to the frame or another set of spirals.



I find it useful to take a picture of my composition, so I have something to refer to. It doesn't mean I can't change my mind, but it's a handy reference.

Attaching the Spirals (Method 1)

I have used a black electric cable (representing the frame) and a blue scooby (pretend weaving wire) to make the contrast clearer in this part of the instructions.

TIP

Copper weaving wire will want to kink! When you see or feel a kink, just straighten it out straight away.



Loop the middle of the wire around the outer loop of the spiral and the frame.



Go around both the spiral loop (to the right) and the frame several times. Quite tight.



You'll find there's space between the coils you've made.

Push the coils together with your thumb-nails so they are close together. Keep doing this all



Once the spiral is attached, continue with a series of single coils around just the frame (as in the picture) or just around the spiral.

Make sure there's enough tension to create tight coils.





Make a few coils at the other side (to the left) around both the spiral loop and the frame, followed by single coils around the frame.



Cut the wire (with cutters or an old pair of scissors) close to the frame, preferably at the back).





Squeeze the wire flat against the frame with pliers. This secures it in place and ensures you won't scratch your skin.

You shouldn't feel anything when you go over it with your thumb. It's a good idea to check this every time you do this!

Attaching the Spirals (Method 2)

This time start at around 3 cm (1.5") from the end of the weaving wire. This leaves you a 'tail' to hold on to when you start coiling around the frame.





When you've made around 7 or more tight coils (as before), attach a spiral loop.

For variety create a pattern. I like to go once around both the spiral loop and the frame, followed by a single coil around the frame (or loop, your choice)





Continue this way (double, single, etc) double, single, etc) till the spiral is firmly attached, then continue with single coils.

This is the pattern I will use throughout this project.

Cut off excess wire near the frame.



Squish the ends of the weaving wire flat against the frame.



For Real with Copper

Undo the smaller coil of wire and you'll have 1.2 m wire that needs to be cut into

six 20 cm long weaving wires.

You can use the paper ruler provided

Using one of the methods above, start attaching the spirals to the cat frame.

The dark dots are the points where the spirals need to be attached to the frame for my cat.




All connected




This can happen

One of my spirals was so tight I



couldn't weave my wire through.



By pulling it slightly away from the frame I created space for the wire.

Once the spiral was attached...





...I pushed the spiral back in its original position, close to the frame.

Beading



Looking great, but it needs some colour to bring it all together.

Using scoobies and big beads, I'll illustrate how to make sure the beads will 'float' where you want them to be.



Attach the wire starting near the end. Leave a tail.

Do a series of single coils, then cut off the tail near the frame. Use pliers to flatten the wire in exactly the same way as before.





Thread a bead on and decide where you want it to be.

Go through the bead again and tighten, while holding the bead

firmly in place.



If you have space to attach another bead,

make sure to leave some space in between them.

Now with the Small Beads and Copper Wire

Undo the bigger coil for the three 50 cm beading wires.



Attach the wire from one end with tail and start adding beads.



Use both the frame and the spirals to attach the wire with the beads.




Copper cat complete



Patinas

You can leave your cat as it is now. Over time the copper will frame will change naturally due to oxidation. The wire, as it is non-tarnishing, will stay shiny and create a lovely contrast with the frame and spirals.

This is what will happen:



The patina that develops on copper is different from rust on iron. Rust corrodes the iron,

but the patina protects the copper.

If you don't want to wait that long for the change in colour, you can create a patina yourself.

The SMELLY Way



I used this method on a copper pendant.

You will need one or two hard boiled eggs, an airtight container and a smaller bowl that fits inside. I used the bottom of a plastic bottle to put the copper cat in and placed it in the airtight container.

Peel the eggs and crush them. Put the crushed eggs in the container so that they don't touch the copper. Close securely!



WARNING

Leave in the container for a few days, then check if you like the result.

DO THIS OUTSIDE

It really, really stinks.

If you want the copper darker, leave it longer.

Have a bowl with soapy water ready to put the patina-ed copper items in and a plastic bag to dispose of the rotten eggs.

To create the contrast between shiny and dark copper, use fine gritted sand paper to remove some of the patina (not done in the pictures).

For the pendant here I used bare copper for both the frame and the wire. Your weaving wire (unlike the weaving wire in the picture) wire will stay bright as it is non-tarnishing!



Miracle Gro

A less odourous way is to use Miracle Gro.

To get a blue patina brush a solution of one-part Miracle Gro to three parts of water onto your cat. For a green effect use vinegar instead of water.

You will see a patina forming within 30 minutes.

After a day, brush off some of the crystals, sand off excess and seal with a varnish.

I hope you've enjoyed making the cat.

For more kits and live and online workshops visit Colourbuzz

https://www.colourbuzz.net

